Visualization and Analysis of Transportation-Specific Datasets

Michael Hope, Vadim Sokolov, Hubert Ley
Transportation Research and Analysis Computing Center
Energy Systems Division
Argonne National Laboratory

Current Trends in Transportation Visualization

- APIs to Plot on Existing Mapping Websites
  - Google Maps API
  - Yahoo Maps API
  - Bing Maps Platform
  - OpenLayers
- Web-based interfaces to GIS visualization
  - ArcGIS Online
  - MangoMap
- Web-based interface to transportation models
  - Cube Cloud
  - Vista
  - Cattlab at University of Maryland

Advantages of Web-based Tools

- Lower Upgrade Cost
- Lower Software Maintenance Cost
- Access Data Anywhere
- Cross Platform
- Share Data
- Scalable Processing Power
- Scalable Storage Space

Underserved Capabilities of Existing Web-Based Tools

- 3D Rendering
  - Extra spatial analysis dimension
  - Presentation quality
- Time Set Visualization / Data Streaming
  - Extra temporal analysis dimension
  - Create videos
- Desktop Application Level Performance
  - Larger areas
  - Larger datasets
  - More visualization real-estate

Underserved Capabilities of Existing Web-Based Tools cont'd

- Open Source
  - Free, unlicensed
  - Anyone can modify
- Transportation Specific
  - Analytics useful to researchers
  - Compatible with popular transportation models
- Non-commercial cloud storage and processing
  - Security issues
  - Data privacy

TRACC - A National User Facility to Meet USDOT Advanced Computation Needs

- USDOT and USDOE transportation research programs, private industry, and state and regional transportation agencies are moving to simulation-based design and analysis for improvements in efficiency, economics, and safety

- Higher fidelity analysis in areas such as crashworthiness, aerodynamics, combustion, thermal management, weather modeling, and traffic simulation require access to state-of-the-art computational and visualization facilities

- Argonne expertise in high-performance computing and transportation system analysis provides the basis for a national HPC user facility and a focal point for computational research for transportation applications

Argonne NATIONAL LABORATORY

Transportation Research and Analysis Computing Center

Visualization and Analysis Tools at TRACC

- Metroview
  - Web-Based Transportation Visualizer
- Antares
  - Simulation Graphics Library
- POLARIS Analyzer
  - Common Analytics on Transportation Datasets
- Network Editor
  - Cross-product Network Editing

METROVIEW

- Web-based Transportation Visualizer
  - 3D Visualization
  - Dynamic Time Series Visualization
  - Desktop-Level Performance
  - Open Source
  - Hosted at Argonne-TRACC
- Features:
  - Network Visualization
  - Link-based Measures of Effectiveness
  - Vehicle Trajectory Visualization
  - MongoDB Data Storage
  - Open Street Map Tiles

Metroview Architecture



Metroview - MongoDB

- Non-SQL Database
  - Redesigned Query Language
- Document-Oriented Storage
  - JSON Format
  - Extremely Flexible
- Higher Performance, Scalable
  - Larger Queries
  - More Users
- Multiple Drivers
  - Python, Java, C++

Json Example

```
Links = [

{ " LinkID" : "1" ,
            "Delay" : [ " AM" : "4" , "PM" : "5"] ,
            "Shape" : "GEODATA" },

{ " LinkID" : "2" ,
            "Delay" : [ " MID " : "4"] },

{ " LinkID" : "3" ,
            "Delay" : [ "PM" : "5"] ,
            "Shape" : "GEODATA" }

];
```

Metroview - Google Native Client

- Novel Web Framework by Google
  - In Active Development
- Run C++ Programs Through a Browser
- OpenGL ES 2.0 Graphics
- Near Desktop Level Performance
- Robust API
  - Multithreading
  - HTTP Requests
  - File IO

Metroview - Internal Task Scheduler

- Advanced Task Management – automated multithreading
- Submit Work to 2 Types of Queues:
  - Traditional “immediate” work queue
  - Time-dependent queue with “execute after” and “execute by” time
- Time Independent Queue
  - Performs work in FIFO order
- Time Dependent Queue
  - Used in conjunction with visualizer time stepping
  - Visualizer states what time it would like to advance to and authorizes it
  - Flexible scheduling allows significantly better load balancing
  - Automatic merging of requests when scheduling permits
- Time Dependent Threads can Migrate to Time Independent Work

Metroview - Map Tile Loading

- Currently utilizing MapQuest-OSM Tiles
- Soon to be compatible with MapQuest Open Aerial Tiles
- Downloaded as you navigate
- Compatible with Slippy Map Tilenames
  - MapQuest
  - MapQuest Open Aerial
  - OSM standard
  - OpenCycleMap
  - Migurski's Terrain
- Underlying EPSG:3857 projection
  - Seamless navigation across UTM zones
  - Properly aligned tiles



Metroview - Miscellaneous



_id	grade	lanes_ba	node_b	node_a	use	left_ab
86374	0	1	83443	84015	WALK|AUTO|TRUCK|BUS	0
86373	0	1	7221	83172	WALK|AUTO|TRUCK	0
86372	0	2	80992	80994	WALK|AUTO|TRUCK|BUS	0
86371	0	2	15400	84014	WALK|AUTO|TRUCK|BUS	0
86370	0	1	84014	84013	WALK|AUTO|TRUCK|BUS	0
86369	0	1	6732	84012	WALK|AUTO|TRUCK|BUS	0
86368	0	1	84012	84011	WALK|AUTO|TRUCK|BUS	0
86367	0	2	13068	84010	WALK|AUTO|TRUCK|BUS	0
86366	0	1	84010	84009	WALK|AUTO|TRUCK|BUS	0
86365	0	3	11897	84008	WALK|AUTO|TRUCK|BUS	0

- Tabularized Data Viewer
- Websocket Server Connectivity
  - Extremely low latency
  - Faster downloads
  - Very reliable connection
- DOJO
  - Popular Javascript UI Library
  - Many Standard Widgets
  - High Performance Widgets
- HTML5
  - Local Storage
  - Video / Audio

Metroview - Future Directions

- Side-by-side Comparisons of Multiple Network Elements
- Server-side Analytics
  - Statistics
  - Regression Analysis
  - 2D Plots
- Run Custom Python User Scripts
- Data Conversions from Popular Tools
  - Vissim
  - Transmodeler
  - DTALite
  - DynusT
  - Etc…
- Real World Data Visualization
  - GPS Traces
  - Open Traffic Information

What is POLARIS?

- Open Source Middleware for Developing Agent-based Models
  - Data Interchange
  - Visualization
  - Case Study Generation and Analysis
  - Discrete Event Simulation
  - Interprocess Communication
- A Repository of Transportation Libraries
  - Common Algorithms
  - Extended by Researchers
  - Standardized Style and Structure
- Fully Developed Applications
  - Transportation Network Simulation
  - Integrated Activity Based Simulation



Antares



- Graphics Library for POLARIS
  - Visualize in 3D or plot in 2D
  - See the real time state of your simulation
  - Inspect and change simulation elements on the fly
  - Create videos
- Technologies
  - WxWidgets
  - OpenGL
  - Plplot
  - FFMPEG

Antares - Developer Tools

- 3D Drawing Without Needing to Know OpenGL
- Organized Into Developer Allocated Layers
- Fully Integrated with Simulation and POLARIS Core Libraries
- Identification capabilities – automatically identify objects
- Set up events which trigger on clicking



POLARIS / TRANSIMS Network Editor

- The network is stored as a relational database using SQLITE3
- The network editor is just one of the applications using the database structure:
  - POLARIS tools access the network directly from the database
  - Quantum GIS is natively capable of working directly with the network database
  - Spatialite and Sqlite3 tools can be used to modify and edit the network as well
- The graphical user interface is both part of TRANSIMS Studio as well as Polaris
- Emphasis during development was to provide efficient editing tools that understand the network topology
- Background imagery is available at high resolution in a special format suitable for extremely fast editing



Orthorectified Imagery

- Orthorectified imagery from USGS is readily available at TRACC, with most imagery being at the most 2 years old (NAIP imagery)
  - NAIP dataset covers the entire US in full color (plus infrared)
  - Resolution is approximately 1 meter per pixel
- High resolution orthorectified imagery is available for certain urban areas at up to 025 meters per pixel
- The imagery datasets are processed on TRACC high performance computing systems and are provided in a highly efficient tile format to editing applications

Network Topology



- The network editor understands the topology
  - Nodes, Links, Pockets, Connectivity, Signals, Signs, ...
- As shown on the right, moving a node will move all related objects as well
- The network database enforces relational integrity
  - This is an important feature, because it means that no client application, including the network editor, can actually break the relational integrity of the network
  - Changing any network features happens with a database transaction, meaning that the network can never be forced to be inconsistent
    - For example, a node cannot be deleted if a link still exists that uses this node
    - This is true throughout all relations – a total of about 60 relationships is enforced
- This is also an important feature when using third party tools such as Spatialite or Quantum GIS to work with the data
  - Relational integrity is enforced on the database level, preventing any client application from damaging relationships between network components

Intersection Editor

- Connectivity at intersections is highly configurable
- Rules can be defined based on facility type and similar criteria to establish a reasonable configuration that can then be fine-tuned for a specific intersection
- An example for Upper Wacker Drive and Monroe is shown on the right
  - Very complex intersection
  - Ramps from and to Lower Wacker Drive are fully represented
  - Connectivity is link to link, but allows for lane ranges inbound and outbound
- Groups of nodes can be selected in the general interface to apply automatic rules, e.g.
  - Reasonable choice of turn pockets based on lane permanent lane configurations
  - Thorough analysis of THRU connections, and proper choice of turn types



Data Analysis

- Quickly, efficiently manage data
- GUI for analyzing simulation results
- Statistical analysis and data aggregation tasks
- Produce graphs and charts



Data Analysis

- Data is stored in a relational database with spatial capabilities
- User can define data processing steps in a form of
  - SQL Statement
  - Python script
- User can define type of analysis on each of the data items
  - Regression Analysis
  - Clustering Analysis
  - Exploratory Analysis (plots, charts)
- Procedures are stored in a form of a script and json file and can be applied to multiple data sets